



F1B80-16AUTO NEW

USE, MAINTENANCE & SPARE PARTS MANUAL



TECHNICAL DATA		Type of Fastener
Fastener Data: <ul style="list-style-type: none"> • Outside Crown • Inside Crown • Wire • Length • Magazine Capacity 	12.80mm 11.30mm 0.60 x 0.90mm 8-16mm 140 staples	
Min-Max Working pressure	5 / 7 bar 70 / 100 psi	
Air consumption per cycle	0.17 L	
Weight kg	1.12kg	
Tool dimensions height x width x length (mm)	167 x 42 x 218	
Noise characteristics	79.1 dB(A) L _{pA} 87.27 dB(A) L _{WA}	
Actuation System	5 (Safety:Manual)	
Loading	Bottom loading	
Lubricant	BCNZ617 oil	

September 2021



Code	RSP	Qty	Description	Code	RSP	Qty	Description
70003	R	1	BUFFER	666025	R	2	SCREW
70045.1	R	1	BUFFER	666068	R	1	SCREW
080136		1	REST	666084	R	2	SCREW
090026		1	BUSH	667015	R	2	SCREW
010415		1	CYLINDER	667035	R	1	SCREW
122032		1	PULLEY	700232		1	VALVE KIT
134202		1	NOSE RAIL	700349	R	1	SPACER KIT
138590		1	BODY	140093		1	TRIGGER VALVE
140244		1	RAPID VALVE	144120		1	SLIDER
160014		2	HOOK	164098		1	TRIGGER
166033	R	1	GASKET	167018		1	PLATE
172472.1		1	LOADER	184061		1	CATCH
184062.1		1	CATCH	200033.2	R	1	SPRING
200121	R	1	SPRING	200145	R	1	SPRING
280058.2	R	1	BUMPER	286008.1		1	MUFFLER
288176		1	PIN	288319		2	PIN
294167.1		1	PLATE	300301.2	R	1	DRIVER PISTON
300327		1	PISTON	300329.2	R	1	PISTON
322022.1		2	ADJUSTER	326037.1		1	ADAPTER
348012		1	SPACER	410225.1	R	1	PUSHER
430045		1	COVER	430099		1	CAP
440156		1	SLOT	622024	R	3	O-RING
622034	R	1	O-RING	622074	R	1	O-RING
622075	R	2	O-RING	622094	R	2	O-RING
622099	R	1	O-RING	622115	R	1	O-RING
622121	R	1	O-RING	622122	R	3	O-RING
622127R		1	O-RING	622128	R	2	O-RING
622143	R	1	O-RING	622144	R	1	O-RING
622160	R	2	O-RING	622325	R	1	O-RING
622326	R	1	O-RING	622327	R	1	O-RING
650005	R	1	NUT	650008	R	2	NUT
662019	R	2	PIN	662058	R	1	PIN
662082	R	1	PIN	662083	R	2	PIN
666020	R	2	SCREW				

R=Recommended spare parts