



FEATURES/BENEFITS

1 REDUCES BACK STRAIN

The RB401T-E is an ergonomic solution for backbreaking slab work.

2 ADJUSTABLE HANDLES

Users can adjust the handles to 2 positions, to find the most comfortable fit for their height.

3 TRIGGERLESS TECHNOLOGY

An automatic contact mechanism (Pat. Pending) allows the tool to instantly tie when pushed down over a rebar intersection.

4 SHORTER TIE HEIGHT

A Wire Bending Mechanism (Pat. Pending) produces a shorter tie height. Less concrete is needed to fully cover a wire tie.

5 TILT SENSOR

The tilt-sensor prevents the tool from tying when angled upward.

6 ENCLOSED DESIGN

Greater protection against debris and moisture entering the tool.

TOOL SPECIFICATIONS

IOOL OI LOI		
Weight	4.63kg	M
HxWxL	324mm x 406mm x 1102mm	F
Tying Speed	Approx. 1/2 sec.	
Rebar Capacity	D10 x D10 to D19 x D19	■
Wire Series	TW1061T	
Wire Diameter	1.0mm	T۱
Ties Per Coil	Approx. 155 to 260	
Ties Per Charge	Approx. 4000	
Coils Per Box	30	1 Con
Battery	JPL91440A	
Voltage	DC 14.4 V	
Recharge Time	Approx. 65 minutes full charge (50 minutes 80%	%) 1 .
Standard Equipment	Battery, Charger, Nose Attachments* Hard Plastic Carrying Case, and Hex Wrench. (2 Spare bolts are included, for changing the nose at	tachment)

REBAR-IER®




7 QUICKLY & EASILY LOAD TIE WIRE

Rapidly load the dual wire coil with the quick load magazine design.

* Requires at least 50mm clearance between chaired rebar and the ground. For smaller clearance, down to 28mm, please use the short nose attachment. This specification varies by rebar combination.


MULTIPLE REBAR COMBINATIONS



3 Bar Combinations

Maximum

D22 x D13 x D13 (22mm x13mm x 13mm)



4 Bar Combinations

Maximum

D13 x D13 x D13 x D13 (13mm x13mm x 13mm x 13mm)

TW1061T TIE WIRE SERIES



1.0mm Steel

Wire





1.0mm Poly **Coated Wire**

1.0mm Electro Galvanised Wire

1.0mm Stainless Wire

TW1061T-S- STAINLESS STEEL WIRE IS ALSO AVAILABLE AS A SPECIAL ORDER ITEM.

APPLICATIONS

Commercial Buildings | Foundations | Road and Bridge Construction Water Treatment Tanks | Basements | Water Retaining Structures



AUCKLAND 34 Lansford Cres Avondale Ph 09 828 2019 Fax 09 828 2017 Email:sales@sifco.co.nz

TAURANGA 3/94 Newton Rd Mt Maunganui 07 575 0088 07 575 6546

CHRISTCHURCH 8 Holt Place Burnside 03 358 8135 03 358 8930

OS955