


# F1B14-16

## USE, MAINTENANCE & SPARE PARTS MANUAL



<b>TECHNICAL DATA</b>		<b>Type of Fastener</b>
<b>Fastener Data:</b> <ul style="list-style-type: none"> <li>• Outside Crown 10.1mm</li> <li>• Inside Crown 8.7mm</li> <li>• Wire 0.60 x 0.75mm</li> <li>• Length 6-16mm</li> <li>• Magazine Capacity 180 staples</li> </ul>		
<b>Min-Max Working pressure</b>	4 / 7 bar 60 / 100 psi	
<b>Air consumption per cycle</b>	0.37 L	
<b>Weight kg</b>	0.775kg	
<b>Tool dimensions height x width x length (mm)</b>	157 x 42 x 218	
<b>Noise characteristics</b>	79.70 dB L <sub>pA</sub> 89.02dB L <sub>WA</sub>	
<b>Actuation System</b>	1 (Safety:Manual)	
<b>Loading</b>	Bottom loading	
<b>Lubricant</b>	BCNZ617 oil	

September 2020

Code	RSP	Qty	Description
000070002	R	1	BUFFER
000070045.1	R	1	BUFFER
000080136		1	REST
000092095		1	BUSH
000104150		1	CYLINDER
000122033		1	PULLEY
000134210		1	NOSE RAIL
000138578		1	BODY
000140086.1		1	TRIGGER VALVE
000144126		1	SLIDER
000160014		2	HOOK
000164061		1	TRIGGER
000166026	R	1	GASKET
000166033	R	1	GASKET
000167035		1	PLATE
000172477		1	LOADER
000184062.1		1	CATCH
000184081		1	CATCH
000184184		1	CATCH
000200033.2	R	1	SPRING
000200057	R	1	SPRING
000200145	R	1	SPRING
000200155	R	1	SPRING
000280058.2	R	1	BUMPER
000286008.1		1	MUFFLER
000288172		1	PIN
000288175		1	PIN
000294104		1	PLATE
000300314.2		1	PISTON
000300430.2	R	1	DRIVER PISTON
000326037.1		1	ADAPTER
000348012		1	SPACER
000410230.1	R	1	PUSHER
000430045		1	COVER
000430096		1	CAP
000440156		1	SLOT
000622005	R	2	O-RING
000622025	R	1	O-RING
000622035	R	1	O-RING
000622074	R	1	O-RING
000622094	R	1	O-RING
000622099	R	1	O-RING
000622115	R	1	O-RING
000622121	R	1	O-RING
000622122	R	3	O-RING
000622325	R	1	O-RING
000650005	R	1	NUT
000650008	R	2	NUT
000662019	R	1	PIN
000662021	R	1	PIN
000662083	R	2	PIN
000662087	R	1	PIN
000666025	R	2	SCREW
000666068	R	1	SCREW
000666084	R	2	SCREW
000667015	R	2	SCREW
000667022	R	1	SCREW
000667035	R	1	SCREW

R=Recommended spare parts

ESP	MACHINE CODE	MACHINE CODE	MACHINE CODE	MACHINE CODE	MACHINE CODE
20	11079	21079	31079	U31079	
DESC.	F1B 14-16	R1B 14-16	H1B 14-16	U1B 14-16	
BODY	138578	138568	138569	138567	

