

F1B97B-25

USE, MAINTENANCE & SPARE PARTS MANUAL



TECHNICAL DATA		Type of Fastener
Fastener Data: <ul style="list-style-type: none"> • Outside Crown 4.60mm • Inside Crown 3.00mm • Wire 0.70 x 0.90mm • Length 12.25mm • Magazine Capacity 150 staples 		
Min-Max Working pressure	4 / 7 bar 60 / 100 psi	
Air consumption per cycle	0.43 L	
Weight kg	0.895kg	
Tool dimensions height x width x length (mm)	166 x 42 x 218	
Noise characteristics	78.60 dB L _{pA} 87.77dB L _{WA}	
Actuation System	1 (Safety:Manual)	
Loading	Bottom loading	
Lubricant	BCNZ617 oil	

Code		Qty/Qt...	Description
000070002	R	1	BUFFER
000070068	R	1	BUFFER
000080136		1	REST
000085018		1	BAR
000092095		1	BUSH
000104148		1	CYLINDER
000134212		1	NOSE RAIL
000138578		1	BODY
000140086.1		1	TRIGGER VALVE
000164061		1	TRIGGER
000166026	R	1	GASKET
000166033	R	1	GASKET
000167037		1	PLATE
000170178		1	RAIL
000172484		1	LOADER
000184062.1		1	CATCH
000184063.1		1	CATCH
000184081		1	CATCH
000200035	R	1	SPRING
000200057	R	1	SPRING
000200145	R	1	SPRING
000200155	R	1	SPRING
000280058.2	R	1	BUMPER
000286008.1		1	MUFFLER
000288172		1	PIN
000288175		1	PIN
000294104		1	PLATE
000300314.2		1	PISTON
000300358.2	R	1	DRIVER
000326037.1		1	ADAPTER
000348012		1	SPACER
000410015	R	1	PUSHER
000430045		1	COVER
000430087		1	CAP
000440070		2	INSERT
000440160		1	SLOT
000622005	R	2	O-RING
000622025	R	1	O-RING
000622035	R	1	O-RING
000622074	R	1	O-RING
000622094	R	1	O-RING
000622099	R	1	O-RING
000622115	R	1	O-RING
000622121	R	1	O-RING
000622122	R	3	O-RING
000622325	R	1	O-RING
000650005	R	1	NUT
000650008	R	2	NUT
000662019	R	1	PIN
000662021	R	1	PIN
000662071	R	3	PIN
000662083	R	2	PIN
000662086	R	2	PIN
000666025	R	2	SCREW
000666068	R	1	SCREW
000666084	R	2	SCREW
000667022	R	1	SCREW
000667035	R	2	SCREW
000667036	R	2	SCREW

R=Recommended spare parts

ESP	MACHINE CODE	MACHINE CODE	MACHINE CODE	MACHINE CODE	MACHINE CODE
12	11087	21087	31087		
DESC.	F1B 97B-25	R1B 97B-25	H1B 97B-25		
BODY	138578	138568	138569		

