




TOOL CHARACTERISTICS

HEIGHT	WIDTH	LENGTH	WEIGHT
342 mm.	140 mm.	170 mm.	5.220 Kg.
MIN-MAX WORKING PRESSURE		70 / 120 PSIG 5 / 8 BAR	
AIR CONSUMPTION PER SHOT		PERFORMANCES AT 90 psi (0.62 Mpa) 3.9 l.	
LUBRICANT		BCNZ617 500 ml.	
* ACTUATION SYSTEM		0	

* SEE INSTRUCTION MANUAL


NOISE CHARACTERISTICS

EN 792-13
EN 12549
EN ISO 4871

98.38 dB(A) - 2.5
93.00 dB(A) - 2.5

VIBRATION VALUE





ISO 8662



FASTENER DATA

A) WIRE MIN.-MAX.	2.5 - 3.4 mm.
B) HEAD	7.00 mm.
C) PITCH	8 mm.
L) LENGTH MIN.-MAX.	45 - 90 mm.
MAGAZINE CAPACITY	

HEAD CN90 A



DEC 2010

TOOL CODE	ESP
R30934.02	14

CN-90A Spare Parts List

December 2012

CODE:	RSP:	Qty:	DESCRIPTION:
000050023.1		1	FEEDER
000070014	R	1	BUFFER
000070057	R	1	BUFFER
000070059	R	1	BUFFER
000092073		4	BUSH
000092074		2	BUSH
000092143		1	BUSH
000104228		1	CYLINDER CPL
000128069.1		1	COVER
000128076		1	COVER
000130024		1	AIR-LINE
000138467		1	BODY
000140463		1	CAP
000166042	R	1	GASKET
000184107		1	CATCH
000200128	R	1	SPRING
000200159	R	1	SPRING
000200188.2	R	1	SPRING
000200190	R	1	SPRING
000280083	R	1	BUMPER
000288223		1	PIN
000288225		1	PIN
000288226		1	PIN
000288307		1	PIN
000300503	R	1	PISTON
000300891	R	1	DRIVER PISTON
000300695.1		1	PISTON
000324028		1	POSITIONER
000324029		1	POSITIONER
000338024		1	NIPPLE
000338034		1	NIPPLE
000338038		1	NIPPLE
000338039		1	NIPPLE
000420250		1	NOSEPIECE
000420251		1	HOLDER
000430091		1	COVER
000610015	R	1	STOP RING
000622002	R	1	O-RING
000622003	R	1	O-RING
000622161	R	1	O-RING
000622019	R	1	O-RING
000622021	R	1	O-RING
000622025	R	4	O-RING
000622026	R	1	O-RING
000622028	R	2	O-RING
000622034	R	1	O-RING
000622036	R	1	O-RING
000622061	R	1	O-RING
000622067	R	1	O-RING
000622106	R	2	O-RING
000622139	R	1	O-RING
000622141	R	1	O-RING
000660014	R	4	WASHER
000660018	R	6	WASHER
000662012	R	1	PIN
000662058	R	2	PIN
000666080	R	6	SCREW
000666081	R	4	SCREW
000668026	R	2	SCREW
000668030	R	2	SCREW
000700247			UPGRADE KIT COMPLETE WITH CYLINDER, DRIVER PISTON, BUMPER & O-RINGS

* USE 000622161
WITH H411137 UNDER
NEATH